

**Aanbevolen richtprijs (BTW inclusief) - Prix publics conseillés (TVA incluse)**

## E-Boxes

### DAC Box E

**109,00**



Digital to Analog converter  
Audio upgrade for TV Sat, Computer  
24bit/ 192kHz Cirrius Logic DAC chip  
Supports 24 bit audio data  
Up to 192 kHz sampling rates  
Dimensions: W x H x D: 120 x 32 x 100 (115) mm



**13DBE(\*)**

**Black (BK) or White (WH)**

### Bluetooth Box E

**89,00**



aptX Bluetooth receiver

- Compatible with all smartphones and tablets that support aptX & SBC Bluetooth codecs
- up to 8 different Bluetooth sources and memorized
- 3,5mm stereo analogue and Toslink digital outputs

Dimensions: W x H x D: 120 x 32 x 100 (115) mm



**13BBE(\*)**

**Black (BK) or White (WH)**

### Record Box E

**109,00**



Phono-preamp (MM) with A/D converter and USB-output  
Digitalisation of analog signals for recording to disc via USB  
with suitable recording programs  
Input inpedance 47kOhm/120pF  
Dimensions: W x H x D: 120 x 32 x 100 (115) mm



**13RBE(\*)**

**Black (BK) or White (WH)**

### Phono Box E

**79,00**



Phono-preamp (MM)

- SMD circuytery
- Gold plated cinch/phono connection sockets

Dimensions: W x H x D: 120 x 32 x 100 (115) mm  
Up to 192 kHz sampling rates



**13PBE(\*)**

**Black (BK) or White (WH)**

## STANDARD LINE

### Phono Box MM (DC) 89,00



**16PB**

Phono-preamp (MM).  
 Input impedance 47kOhm/120pF.  
 Housing black painted.  
 Basisversion of Phono Box without MC.  
 Dimensions W x H x D: 105 x 30 x 61mm  
**Only BLACK**

### Phono Box 109,00



**16PB(\*)**

PHONO preamplifier (MM and MC)  
 • Preamplifier for MM or MC with switching on the back panel  
 • Low noise ICs  
 Dimensions W x H x D: 103 x 38 x 104mm

**BLACK (BK) and SILVER (SI)**

### Phono Box USB (DC) 149,00



**16PBU(\*)**

PHONO preamplifier (MM and MC)  
 • Preamplifier for MM or MC with switching on the back panel  
 • Low noise ICs  
 Dimensions W x H x D: 103 x 38 x 104mm

**BLACK (BK) and SILVER (SI)**

### Phono Box USB V (DC) 169,00



**16PBSUV(\*)**

PHONO preamplifier (MM and MC) with USB-output to record music onto PC  
Adjustable correct (optimal) recording level by poti  
 • Preamplifier for MM or MC with switching on the back panel  
 • low noise ICs  
 • Analogue-out (RCA) & USB-Digital-out  
 • Compatible with Windows®, Mac OS® & Linux®  
 Dimensions: W x H x D: 103 x 38 x 104 mm

**BLACK (BK) and SILVER (SI)**

### DAC Box TV 109,00



**13DACTV**

Digital to Analog converter  
 Audio upgrade for TV, Sat, Computer  
 24bit/192kHz Cirrus Logic DAC chip  
 Supports 24 bit audio data  
 Up to 192 kHz sampling rates  
 Dimensions W x H x D: 105 x 30 x 61mm  
**Only BLACK**

### CD BOX (DC) 329,00



**16CDB(\*)**

CD Player  
 • 16bit/44,1kHz CDAudio playback  
 • CD, CD-R, CD-RW, Hybrid SACD playback  
 • DAC from Texas Instruments (BurrBrown)  
 Dimensions: W x H x D: 206 x 36 x 150 mm  
**BLACK (BK) and SILVER (SI)**

## SQUARE SERIES

### S SERIES

### Pre Box S 269,00



**16PRS(\*)**

Pre amplifier with remote control  
 • Two stereo line-in  
 • Motorized volume control  
 • SMD for short signal paths  
 • Gold plated connections  
 • Remote control for on/off, input select & volume  
 • 12 Volt trigger  
 Dimensions: W x H x D: 103 x 36 x 103mm (108mm with sockets)

**BLACK (BK) and SILVER (SI)**

**Amp Box S** **269,00**

Stereo power amplifier

- Ultra compact & audiophile
- SMD for short signal paths
- 2 x 35/25 Watts at 4/8 Ohm
- Trigger input
- Trigger output for further Amp Box

Dimensions: W x H x D: 103 x 36 x 103mm (10 with sockets)

**16ABS(\*)** **BLACK (BK) and SILVER (SI)****Amp Box Mono S** **269,00**

Mono power amplifier

- Features like AMP Box S Stereo, with 1 x 80/60/40W @2/4/8 Ohm
- RCA-loop-out, for bi-amping

Dimensions: W x H x D: 103 x 38 x 104mm

**16ABMS(\*)** **BLACK (BK) and SILVER (SI)****Bluetooth Box S** **169,00**

aptX Bluetooth audio receiver

- Compatible with all smartphones and tablets that support aptX & SBC Bluetooth codecs
- up to 8 different Bluetooth sources are memorized
- 3,5mm stereo analogue and Toslink digital outputs

Dimensions: W x H x D: 103 x 38 x 104mm

**16BBMS(\*)** **BLACK (BK) and SILVER (SI)****CD Box S** **379,00**

Ultra compact CD-player

- 16bit/44,1kHz audio playback
- 24bit/96kHz DA conversion, 8 x oversampling
- CD, CD-R, CD-RW, Hybrid SACD playback
- DAC from Texas Instruments (BurrBrown)
- S/PDIF output (coax)

Dimensions: W x H x D: 206 x 36 x 150 mm

**16CDBS(\*)** **BLACK (BK) and SILVER (SI)****DAC Box S FL** **219,00**

Filterless D/A converter

- non oversampling design
- 4 xPhilips TDA1543 chipset in differential mode
- optical and coaxial input
- input selector on front

Dimensions: W x H x D: 103 x 36 x 109mm

**16DACBS(\*)** **BLACK (BK) and SILVER (SI)****DAC Box S USB** **179,00**

24 bit/96 KHz D/A converter

- 8 times oversampling
- 3 inputs (coax, optical, USB)
- input selector on front

Dimensions: W x H x D: 103 x 36 x 115mm

**16DACBSU(\*)** **BLACK (BK) and SILVER (SI)**

**Dock Box S Fi****179,00**

Docking station for iPod with charging capability

- Fi version with constant volume level
- On/off switch on front
- Audio playback from iPod, iPhone, iPad
- RCA stereo output
- Remote control included

Dimensions: W x H xD: 103 x 36 x 109mm

**16DOCBSFI(\*)****BLACK (BK) and SILVER (SI)****Dock Box S Digital****249,00****16DOCBSD(\*)****BLACK (BK) and SILVER (SI)****Head Box S****129,00**

Headphone amplifier

- SMD-technology for short signal paths
- Signal to noise ratio -95dB
- THD <0,003% THD

Dimensions: W x H x D: 103 x 38 x 104mm

**16HBS(\*)****BLACK (BK) and SILVER (SI)****Head Box S USB****199,00**

Analogue and Digital Headphone amplifier

- Combines Head Box and USB Box in one unit
- 1 USB input
- 1 coax and 1 optical digital input
- 1 analogue input

Dimensions: W x H x D: 103 x 38 x 104mm

**16HBSU(\*)****BLACK (BK) and SILVER (SI)****Media Box S****299,00**

Media Box for SD cards, USB sticks and USB hard drives

- "Plug and Play" without PC or Mac
- High contrast 1,0" LCD display
- Artist/Album/Playlist read-out from display
- DA-conversion on board
- Digital coax out

Dimensions: W x H x D: 103 x 36 x 115mm

**16MBS(\*)****BLACK (BK) and SILVER (SI)****Phono Box S****159,00**

PHONO preamplifier (MM and MC)

- Preamplifier for MM or MC
- Dual mono configuration
- Precise RIAA equalization
- 4 adjustable gain levels
- Switchable input impedance/capacitance
- Audiophile-grade polypropylene WIMA capacitors

Dimensions W x H x D: 103 x 38 x 115mm

**16PBS(\*)****BLACK (BK) and SILVER (SI)**

**A/D Phono Box S****219,00**

A/D converter for line and phono (MM and MC)

- Line level input switchable
- Recording level control
- USB recording output to computer
- 4 adjustable gain levels
- Digital optic output (Toslink)

Dimensions W x H x D: 103 x 38 x 115mm

**16ADBS(\*)****BLACK (BK) and SILVER (SI)****Speed Box S****139,00**

Allows electronic speed change 33 &amp; 45 rpm

Quartz-generated high precision electronic speed regulation with microprocessor control

Dimensions: W x H x D: 103 x 36 x 104mm

**16SPS(\*)****BLACK (BK) and SILVER (SI)****Stereo Box S****279,00**

Integrated amplifier with remote-control; 2 x 20W/30W at 8/4 Ohm.

- High End integrated amplifier with 2 line inputs
- Gold plated connections
- IR remote control for volume, input, power
- Record out with fixed level, can be used for Head Box oa

Dimensions: W x H x D: 103 x 36 x 109mm

**16SBS(\*)****BLACK (BK) and SILVER (SI)****Stereo Box S Phono****389,00**

Integrated amplifier with remote-control; 2 x 20W/30W at 8/4 Ohm.

- High End integrated amplifier with 3 line and 1 phono (MM/MC) inputs
- Gold plated connections
- IR remote control for volume, input, power
- Record out with fixed level, can be used for Head Box oa

Dimensions: W x H x D: 206 x 36 x 150 mm

**16SBSP(\*)****BLACK (BK) and SILVER (SI)****Switch Box S****139,00**

Input extension for amplifiers (Pro-Ject Audio or others)

- Four Inputs, which means a three input expansion for PRE Box
- Ultra low crosstalk
- Two line-outputs for separate usage
- Automatic synchronisation with trigger cable of PRE Box
- Input expansion, also suitable for all other brands

Dimensions: W x H x P: 103 x 38 x 103mm

**16SWBS(\*)****BLACK (BK) and SILVER (SI)****Tube Box S****379,00**

Tube PHONO preamplifier (MM and MC)

- Double mono triode output stage
- Impedance 10/100/1k/47k ohms adjustment
- Capacitive adjustment 100/200pF
- Gain 41/51/61dB

Dimensions: W x H x P: 103 x 74 x 103mm

**16TBBS(\*)****BLACK (BK) and SILVER (SI)**

**Tuner Box S****169,00**

- Stereo FM Radio with 99 presets
- Manual or automatic tuning
  - Adaptive noise reduction
  - High-contrast dot-matrix display
  - Display of frequency, preset number, center of station, Stereo or mono reception, signal strength
  - Trigger switching (on/off)
  - Full function IR remote control
- Dimensions: W x H x D: 103 x 36 x 122mm

**16TUBS(\*)****BLACK (BK) and SILVER (SI)****USB Box S****109,00**

- D/A converter with USB connection to get out music from PC
- Audiophile D/A conversion
  - SMD for short signal paths
  - Low impedance output
  - Plug & Play, no additional software needed for most PC systems
  - USB powered
- Dimensions: W x H x D: 103 x 36 x 103mm

**16USBBS(\*)****BLACK (BK) and SILVER (SI)****USB Box S+****209,00**

- High-End USB streamer & D/A converter
- Asynchronous data transfer from USB with 32bits/384 kHz Burr Brown DAC chip
  - based on XMOS technology
  - USB receiver and Converter 32 bit ready
  - Class-A output stage
- Dimensions: W x H x D: 103 x 36 x 103mm

**16USBBS+(\*)****BLACK (BK) and SILVER (SI)****Power Box S 4 Way****159,00**

- One power cable solution
- Fitting in rear side of Design Box 2
  - Suits: Stereo Box S, Amp Box S, Pre Box S, Receiver Box S, DAC Box S FL, DAC Box S USB, Dock Box S Fi, Dock Box Digital S, Head Box S, Phono Box S, Media Box S, CD Box S.
  - Outputs: 1 x 20V/3A - 2x9V/up to 3A - 3 x 18V/500mA up to 1A.
- Dimensions: W x H x D: 103 x 72 x 50mm

**16PWBS4(\*)****BLACK (BK) and SILVER (SI)****Power Box S 6 Way****179,00**

- One power cable solution
- Fitting in rear side of Design Box 4
  - Suits: Stereo Box S, Amp Box S, Pre Box S, Receiver Box S, DAC Box S FL, DAC Box S USB, Dock Box S Fi, Dock Box Digital S, Head Box S, Phono Box S, Media Box S, CD Box S.
  - Outputs: 1 x 20V/3A - 2x9V/up to 3A - 3 x 18V/500mA up to 1A.
- Dimensions: W x H x D: 206 x 72 x 50mm

**16PWBS6(\*)****BLACK (BK) and SILVER (SI)****MAIA (My Audiophile Integrated Amplifier) SERIES****MAIA Integrated Amplifier****539,00**

- Integrated amplifier with remote-control; 2 x 20W/30W at 8/4 Ohm.
- High End integrated amplifier with 3 line and 1 phono (MM/MC), 1 digital coax, 2 digital optic & 1 bluetooth inputs
  - IR remote control for volume, input, power
  - Record out with fixed level, can be used for Head Box oa
- Dimensions: W x H x D: 206 x 36 x 150 mm

**16SBSD(\*)****BLACK (BK) and SILVER (SI)**

**MAIA DS** **899,00**



Integrated amplifier with remote-control; 2 x 60W at 4 Ohm.

- High End integrated amplifier with 3 line and 1 phono (MM/MC), 1 digital coax, 2 digital optic & 1 bluetooth inputs
- Controlled via Box Control IT App without need of WiFi connection
- Controls Stream Boxes, CD Boxes and other IR components like TV and satellite receivers

**14MDS(\*)**

**BLACK (BK) and SILVER (SI)**

**MAIA CD** **379,00**



Ultra compact CD-player

- 24bit/96kHz DA conversion, 8 x oversampling
- CD, CD-R, CD-RW, Hybrid SACD playback
- DAC from Texas Instruments (BurrBrown)
- S/PDIF output (optical)

Dimensions: W x H x D: 206 x 36 x 150 mm

**14MCD(\*)**

**BLACK (BK) and SILVER (SI)**

**MAIA Pre-Amplifier** **539,00**



Preamplifier with remote control

- High End pre-amplifier with 3 line and 1 phono (MM/MC), 2 digital coax, 2 digital optic & 1 bluetooth inputs
- IR remote control for volume, input

Dimensions: W x H x D: 206 x 36 x 150 mm

**14MPR(\*)**

**BLACK (BK) and SILVER (SI)**

**POWER BOX MAIA** **NEW** **449,00**



Linear power supply for Maia and Maia CD

Dimensions: W x H x D: 206 x 72 x 194 mm

**BLACK (BK) and SILVER (SI)**

**POWER BOX MAIA DS** **NEW** **569,00**

Linear power supply for Maia DS and other products of DS-line and S-line

Dimensions: W x H x D: 206 x 72 x 194 mm

**BLACK (BK) and SILVER (SI)**

**DS SERIES**

**Pre Box DS** **389,00**



Stereo line preamplifier

- 4 stereo line inputs
- 1 Pre-Out, Subwoofer-out, Record-out
- Relais volume control
- IR Remote Control (input, volume, on/off)
- Extremely low output impedance for low loss with long cables

Dimensions: W x H x O: 103 x 72 x 103mm

**16PRDS(\*)**

**BLACK (BK) and SILVER (SI)**

**Amp Box DS** **429,00**



Stereo power amplifier

- Bi-Phase PWM circuit (Pulse Wave Modulation)
- SMD for short signal paths
- 2 x 125/80Watts at 4/8 Ohm
- Describe design for ultra dynamic playback and highest resolution
- Gold plated, over-sized binding posts

Dimensions: W x H x D: 103 x 72 x 103mm (108 with sockets)

**16ABDS(\*)**

**BLACK (BK) and SILVER (SI)**



**Amp Box Mono DS** **399,00**

Mono power amplifier

- Features like AMP Box DS Stereo, with 1 x 190/110W@4/8 Ohm
- RCA-loop-out, for DI-amping

Dimensions: W x H x D: 103 x 72 x 104mm

**16ABMDS(\*)****BLACK (BK) and SILVER (SI)****CD Box DS** **539,00**

Highend CD player and transport

- 24bit/192kHz audio CD playback
- Supporting CD, CD-R, CD-RW and Hybrid SACD discs
- Burr Brown PCM1796 DAC chipset
- S/PDIF output (coax)

Dimensions: W x H x P: 206 x 72 x 194mm

**16CDBDS(\*)****BLACK (BK) and SILVER (SI)****DAC Box DS** **429,00**

Highend D/A converter

- Ultra linear circuitry
- Top grade DAC PCM-1792 Burr-Brown
- Selectable filter settings
- Digital coax input / Digital optical input

Dimensions: W x H x P: 103 x 72 x 103mm

**16DBDS(\*)****BLACK (BK) and SILVER (SI)****Head Box DS** **379,00**

Headphone amplifier with D/A converter

- 1 x analogue output (use unit as D/A converter)
- 1 x analogue input
- 1 x digital coax input
- 1 x digital optic input
- 1 x 6,3mm headphone output

Dimensions: W x H x P: 103 x 72 x 103mm

**16HBDS(\*)****BLACK (BK) and SILVER (SI)****Phono Box DS** **269,00**

MM/MC phono preamplifier

- Impedance adjustment 10/100/1k/47kohms
- Capacitance adjustment 47/147/267/367pF
- Gain adjustment 40/50/60dB

Dimensions: W x H x P: 103 x 72 x 103mm

**16PBDS(\*)****BLACK (BK) and SILVER (SI)****Phono Box DS+** **429,00**

MM/MC phono preamplifier with display

- Ultimate circuit technology from Dr Sykora & Relay switching
- Impedance adjustment 10/100/1k/47kohms
- Capacitance adjustment 47/147/267/367pF
- Gain adjustment 40/50/60dB

Dimensions: W x H x P: 103 x 72 x 103mm

**16PBDS+(\*)****BLACK (BK) and SILVER (SI)****Power Box DS Amp** **569,00**

Linear power supply for Amp Box RS

Dimensions: W x H x P: 206 x 72 x 194mm

**16PBDSA(\*)****BLACK (BK) and SILVER (SI)**



**Power Box DS Sources****449,00**

Universal linear power supply for 6 components of DS-line and S-line

Dimensions: W x H x P: 206 x 72 x 194mm

**16PBDSS(\*)****BLACK (BK) and SILVER (SI)****Speed Box DS****Spotify and Tidal Compatible****429,00**

Electronic speed control w. switch [33/45 rpm]

- For 230 Volt AC and 16 Volt AC turntables without USB and Comfort
- Fine adjustable motor speed in graduated steps
- Generated sinus wave decoupled from main interference

Dimensions: W x H x D: 103 x 72 x 108mm

**16SPBDS(\*)****BLACK (BK) and SILVER (SI)****Stereo Box DS****Spotify and Tidal Compatible****429,00**

Stereo integrated amplifier

- 4 stereo line inputs
- 1 Digital USB input
- 2 x 70/50 W @ 4/8 ohms
- 2 Ohm stability

Dimensions: W x H x O: 103 x 72 x 103mm

**16SBDS(\*)****BLACK (BK) and SILVER (SI)****Stream Box Dsnet****Spotify and Tidal Compatible****899,00**

PPNP streamer based on Stream700 with latest Bridgeco technology

Good quality D/A converter and analog section

- 1 USB input for USB-stick + USB hard disc
- 1 USB input on for Apple products digital
- 1 analog output fixed
- 1 digital output coax
- 1 ethernet connection
- 1 W-lan connection
- Streams wired and wireless formats
- Flax 192khz 24 bit, MP3, AAC, Ogg, Vorbis, Wav, PPCM(192/24),WMA 9 lossless gapless playback
- Internet radio on V-tuner
- Autodetection fo local radio-stations
- ALAC support
- NetAPI

Dimensions: W x H x D: 206 x 72 x 194mm

**16STBDSN(\*)****BLACK (BK) and SILVER (SI)****Stream Box DS Plus****899,00**

- Control cross on front
- 1 digital coax input
- 1 digital optic input
- High End PCM1796 DAC
- Volume control via analogue domain
- ALAC support
- AIF- support
- Fast forward and return
- Alphanumeric search
- 9 display languages
- Wifi 802/b/g/n allows 24/192 over Wifi
- full control App included

Dimensions: W x H x D: 206 x 72 x 194mm

**16STBDSP(\*)****BLACK (BK) and SILVER (SI)**

**Stream Box DSA****1099,00**

Same as Stream Box DS Plus +  
 • Amplifier 2 x 70W / 4 Ohm  
 Dimensions: W x H x D: 206 x 72 x 194mm

**16STBDSA(\*)****BLACK (BK) and SILVER (SI)****Tube Box DS****539,00**

High-End MM/MC Tube phono preamplifier  
 • Double mono triode output stage  
 • Premium ECC-803 Golden Pin Tubes  
 • Capacitive adjustment 100/200pF  
 • Gain 40/50/60dB  
 Dimensions: W x H x P: 103 x 74 x 103mm

**16TBBDS(\*)****BLACK (BK) and SILVER (SI)****DS2 SERIES****Dac Box DS2 Ultra****659,00**

High-End Digital/Analogue Converter with DSD & USB 2.0  
 6 Inputs: 1x USB, 3x optical (TOSlink®), 2x coax (S/PDIF)  
 Up to 24bit/192kHz for optical & coax inputs  
 Dimensions: W x H x O: 206 x 72 x 200mm

**16DACBDS2(\*)****BLACK (BK) and SILVER (SI)**

<b>Black/Eucaliptus(BKEUC), Black/Rosenut(BKROS), Black/Walnut(BLWAL)</b>	<b>769,00</b>
<b>Silver/Eucaliptus(SIEUC), Silver/Rosenut(SIROS), Silver/Walnut'SIWAL)</b>	<b>769,00</b>

**Tube Box DS2****659,00**

Tube phono-preamplifier  
 Precise RIAA equalisation  
 Selection between 2 phono inputs & 2 line outputs  
 Dual mono circuitry for optimized channel separation

Dimensions: W x H x O: 240 x 91 x 227mm

**16TBDS2(\*)****BLACK (BK) and SILVER (SI)**

<b>Black/Eucaliptus(BKEUC), Black/Rosenut(BKROS), Black/Walnut(BLWAL)</b>	<b>769,00</b>
<b>Silver/Eucaliptus(SIEUC), Silver/Rosenut(SIROS), Silver/Walnut'SIWAL)</b>	<b>769,00</b>

**RS SERIES****Pre Box RS****899,00**

Reference Stereo-Line Tube Preamplifier  
 • Fully balanced double mono Tube design  
 • Selected 6922 tubes  
 • Low ESR capacitors  
 • 2 x XLR & 4 RCA inputs  
 • 1 x XLR & 1 RCA variable outputs  
 • IR remote control  
 Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PRRS(\*)****BLACK (BK) and SILVER (SI)**

**Pre Box RS Digital****1199,00**

Reference Stereo-Line Tube Preamplifier, DAC, Headphone Amp

- 3 Digital inputs I2S, AES/EBU, Toslink, S/PDIF coax
- Analogue: Pre-Out XLR/Cinch/headphone, Cinch input
- Headphone amp with adaptable output impedance
- Switchable DAC chips: 2x PCM1792 or PCM5102
- Pure Class A circuitry
- IR remote control

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PRRSD(\*)****BLACK (BK) and SILVER (SI)****Amp Box RS****899,00**

Reference stereo hybrid power amplifier

- Fully balanced double mono design
- Tube input buffer stage with ECC-88
- 2 x 120/90Watts at 4/8 Ohm
- 1 x XLR input
- 2 ohms stability

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16ABRS(\*)****BLACK (BK) and SILVER (SI)****Amp Box Mono RS****799,00**

Reference stereo hybrid power amplifier

- Tube input buffer stage with ECC-88
- 1 x 195/125Watts at 4/8 Ohm
- 1 x XLR input
- 2 ohms stability

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16ABMRS(\*)****BLACK (BK) and SILVER (SI)****CD Box RS****1099,00**

Ultimate CD drive for CD/MP3/WMA/FLAC

- Top loader CD transport
- Blue Tiger CD-100 servo system supporting 24/96 FLAC playback
- Special suspension system
- External master-clock module
- Data buffer for reduced jitter
- Outputs: S/PDIF coax and optical - AES/EBU - RJ45 I<sup>2</sup>S discrete differential output

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16CDBRS(\*)****BLACK (BK) and SILVER (SI)****DAC Box RS****899,00**

Ultimate Class-A tube balanced output D/A converter

- Double output stage tube and solid state
- Double 24/192 BurrBrown DAC chip (1792)
- Additional second switchable 32/384 Burr Brown DAC chip for true 32/384 conversion
- Dynamic range 132 dB
- Asynchronous data transfer from USB with switchable 32 bits/384kHz BurrBrown DAC chip
- Inputs: USB x 1 - 4 x optical S/PDIF - 2 x coaxial S/PDIF - 1 x AES /EBU digital input
- RJ45 I<sup>2</sup>S discrete differential input for CD Box RS

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16DBRS(\*)****BLACK (BK) and SILVER (SI)**

**Head Box RS****799,00**

Ultimate Class-A headphone amplifier and D/A converter

- Double 24/192 BurrBrown DAC chip (1792)
- Additional second switchable 32/384 Burr Brown DAC chip for true 32/384 conversion
- Dynamic range 132 dB
- Asynchronous data transfer from USB with switchable 32 bits/384kHz BurrBrown DAC chip
- Inputs: USB x 1 - 3 x optical S/PDIF - 1 x coaxial S/PDIF - 1 x AES /EBU digital input
- RJ45 I<sup>2</sup>S discrete differential input for CD Box RS

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16HBRS(\*)****BLACK (BK) and SILVER (SI)****Phono Box RS****779,00**

Reference MM/MC phono preamplifier

- Fully Balanced double mono design
- Fully balanced RIAA & DECCA equalisation
- RCA & XLR input & output
- Fixed impedance switch for 47k and 50pF
- Gain adjustment RCA 40/50/60, XLR 45/56/66dB

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PBRs(\*)****BLACK (BK) and SILVER (SI)****Power Box RS Universal 1 Way****429,00**

Linear Power Supply for 1 component of the RS line

- High filtrage capacity
- Precise voltage regulation
- Output: 20V 3A

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PWBRsU1(\*)****BLACK (BK) and SILVER (SI)****Power Box RS Universal 4 Way****649,00**

Linear Power Supply for 4 components of the RS-line

- High filtrage capacity
- Precise voltage regulation
- Output: 4 x 20V 3A

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PWBRsU(\*)****BLACK (BK) and SILVER (SI)****Power Box RS Amp****539,00**

Linear Power Supply for Amp Box RS

- Improves power of Amp Box RS
- High filtrage capacity
- Precise voltage regulation
- Output: 20V / 3000mA DC

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PSRS(\*)****BLACK (BK) and SILVER (SI)****Power Box RS Phono****539,00**

Purest & cleanest power for Phono Box RS

- Fully isolates Phono RS From mains interference and noise
- Advanced Lithium Polymer battery (one for each channel)
- Output: 4 x 20V 3A

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

**16PWBRSP(\*)****BLACK (BK) and SILVER (SI)**

**Stereo Box RS** **1099,00**



Reference Stereo-Line Tube Amplifier

- 2 x 120/90Watts at 4/8 Ohm
- Tube preamplifier
- 1 x XLR & 5 RCA inputs
- IR remote control
- Subwoofer output

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

16SBR5(\*)

**BLACK (BK) and SILVER (SI)**

**Stream Box RS** **1499,00** **Spotify and Tidal Compatible**



Same as Stream Box DS plus +

- Top of the notch highend PCM 1792 DAC
- Volume control via analogue domain with high end Alps potentiometer
- Fully balanced double mono triode tube outputstage (ECC 6922)

Dimensions: W x H x D: 206 x 72 x 200mm (220 with sockets)

16STBR5(\*)

**BLACK (BK) and SILVER (SI)**

**Add Ones for S/DS/RS Series**

**Control it** **29,00**



All-in-one IR remote for Box Design

- Manage Pre-amplifiers, Integrated amplifiers, Receiver, FM-Tuner, Dockingstations, CD-players, Stream Box, Media Box
- Pre-programmed
- Widespread up to 135 grade

16CONTROLIT

**Remote Box S** **459,00**



Lifestyle solution for audio control

- Works with Box Control App (free for iOS and Android)
- Controls all Box-Design units (pre-programmed) + 6 IR controlled units
- Receives Wifi commands from the Pro-Ject control App.
- Converts Wifi commands to IR and transfers to Standard HiFi components (IR Receiver)
- IR commands of all Pro-Ject units are stored in the Pro-Ject App



Dimensions: W x H x D: 103 x 36 x 53mm

16REBS(\*)

**BLACK (BK) and SILVER (SI)**

**DESIGN BOXES**

**Design Boxes Acryl 2** **89,00**



Available in: **Black (PI)** **White (WH)** **Red (RE)**  
Dimensions: 114 x 90 x 199 mm (WxHxD)

18DB2(\*)

**Design Boxes Acryl 2iP** **95,00**



Available in: **Black (PI)** **White (WH)** **Red (RE)**  
Dimensions: 114 x 90 x 199 mm (WxHxD) (without iPad height)

18DB2iP(\*)

**Design Boxes Acryl 4** **99,00**



Available in: **Black (PI)** **White (WH)** **Red (RE)**  
Dimensions: 114 x 90 x 199 mm (WxHxD)

18DB4(\*)



Available in: Black **(PI)** White **(WH)** Red **(RE)**  
 Dimensions: 114 x 90 x 199 mm (WxHxD) (without iPad height)

18DB4iP(\*)

**AUDIO & MAINS CABLES**

**Connect it RCA-C**



1 pair single  
 Stereo-cable pure copper, RCA-RCA

1DRCAWC0205	Length: 0,205m	55,00
1DRCAWC041	Length: 0,41m	65,00
1DRCAWC082	Length: 0,82m	75,00
1DRCAWC123	Length: 1,23m	85,00
1DRCAWC185	Length: 1,85m	95,00

**Connect it RCA-CC**



1 pair single  
 Stereo-cable pure copper-carbon, RCA-RCA

1DRCAWCC0205	Length: 0,205m	75,00
1DRCAWCC041	Length: 0,41m	85,00
1DRCAWCC082	Length: 0,82m	99,00
1DRCAWCC123	Length: 1,23m	109,00
1DRCAWCC185	Length: 1,85m	139,00
1DRCAWCC246	Length: 2,46m (only on order)	159,00
1DRCAWCC492	Length: 4,92m (only on order)	279,00

**Connect it XLR-CC**



1 pair single  
 Stereo-cable pure copper-carbon, XLR-XLR

1DXLRCC0205	Length: 0,205m	75,00
1DXLRCC041	Length: 0,41m	85,00
1DXLRCC082	Length: 0,82m	99,00
1DXLRCC123	Length: 1,23m (only on order)	109,00
1DXLRCC185	Length: 1,85m (only on order)	139,00
1DXLRCC246	Length: 2,46m (only on order)	159,00
1DXLRCC492	Length: 4,92m (only on order)	279,00

**Connect it RCA-SI**



1 pair single  
 Stereo-cable pure silver, RCA-RCA

1DRCAWSI0205	Length: 0,205m	149,00
1DRCAWSI041	Length: 0,41m	219,00
1DRCAWSI082	Length: 0,82m	329,00
1DRCAWSI123	Length: 1,23m (only on order)	429,00
1DRCAWSI185	Length: 1,85m (only on order)	649,00
1DRCAWSI246	Length: 2,46m (only on order)	849,00
1DRCAWSI492	Length: 4,92m (only on order)	1399,00

**Connect it XLR-SI**



1 pair single  
Stereo-cable pure silver, XLR-XLR

1DXLRSI0205	Lenght: 0,205m Lenght: 0,41m	149,00
1DXLRSI041	Lenght: 0,82m	219,00
1DXLRSI082	Lenght: 1,23m (only on order)	329,00
1DXLRSI123	Lenght: 1,85m (only on order)	429,00
1DXLRSI185	Lenght: 2,46m (only on order)	649,00
1DXLRSI246	Lenght: 4,92m (only on order)	859,00
1DXLRSI492		1399,00

**Connect it RCA-3,5-C**



2 RCA male to 1 3,5mm JACK male

1DRCA35C0205	Lenght: 0,205m	55,00
1DRCA35C041	Lenght: 0,41m	65,00
1DRCA35C082	Lenght: 0,82m	75,00

**Connect it Y-C**



1 RCA male to 2 RCA female (per pair)

1DYM0205	Lenght: 0,205m (only on order)	75,00
1DYM041	Lenght: 0,41m (only on order)	85,00
1DMY082	Lenght: 0,82m (only on order)	95,00

**Connect it D BNC**



1 BNC male to 1 BNC male

1DDBNC041	Lenght: 0,41m	55,00
1DDBNC082	Lenght: 0,82m	75,00

**Connect it D RCA**



1 RCAmale to 1 RCA male

1DDRCA041	Lenght: 0,41m	55,00
1DDRCA082	Lenght: 0,82m	75,00

**Connect it LS**



Speaker cable

1DLS	Price per m	6,50
1DLS50	Roll 50m	300,00

**Cable assemblies with banana's**

1DLS15	1,5m	39,00
1DLS2	2m	45,00
1DLS3	3m	55,00
1DLS4	4m	65,00



<b>Connect it Power 4 Way 10A</b>	<b>119,00</b>
-----------------------------------	---------------



**160CONS4**

4-Way Power power-strip 10A (FR)

- Magnetically shielded
- Maximum current 10A
- 1,5m power chord included
- Dimensions: 286 x 73 x 53

<b>Connect it Power 4 Way 16A</b>	<b>179,00</b>
-----------------------------------	---------------



**160CONS4H**

4-Way Power power-strip 16A (FR)

- Magnetically shielded
- Maximum current 16A
- 1,5m power chord included
- Dimensions: 286 x 73 x 53

<b>Connect it Power 6 Way 10A</b>	<b>179,00</b>
-----------------------------------	---------------



**160CONS6**

6-Way Power power-strip 10A (FR)

- Magnetically shielded
- Maximum current 10A
- 1,5m power chord included
- Dimensions: 402 x 73 x 53

<b>Connect it Power 6 Way 16A</b>	<b>239,00</b>
-----------------------------------	---------------



**160CONS6H**

6-Way Power power-strip 16A (FR)

- Magnetically shielded
- Maximum current 16A
- 1,5m power chord included
- Dimensions: 402 x 73 x 53

<b>Connect it Power Cable</b>	
-------------------------------	--



<b>High End Power Cable 10A</b>			
---------------------------------	--	--	--

<b>160PC10</b>	<b>1.0-10A-EU</b>	1m / 10A	<b>85,00</b>
<b>160PC15</b>	<b>1.5-10A-EU</b>	1,5m / 10A	<b>95,00</b>
<b>160PC20</b>	<b>2.0-10A-EU</b>	2m / 10A	<b>109,00</b>
<b>160PC30</b>	<b>3.0-10A-EU</b>	3m / 10A	<b>119,00</b>

<b>High End Power Cable 16A</b>			
---------------------------------	--	--	--

<b>160PCH10</b>	<b>1.0-16A-EU</b>	1m / 16A	<b>159,00</b>
<b>160PCH15</b>	<b>1.5-16A-EU</b>	1,5m / 16A	<b>179,00</b>
<b>160PCH20</b>	<b>2.0-16A-EU</b>	2m / 16A	<b>199,00</b>
<b>160PCH30</b>	<b>3.0-16A-EU</b>	3m / 16A	<b>229,00</b>

<b>HEADPHONES</b>	
-------------------	--

<b>Hear-it-1</b>	<b>109,00</b>
------------------	---------------



**1AHEAR1**

Audiophile stereo headphone

- Soft ear cushions (memory foam)
- Texted coated cable made from HP-OFC
- Gold plated 3,5mm jack plug
- High gloss & metal finish

<b>Hear-it-2</b>	<b>69,00</b>
------------------	--------------



**1AHEAR2(\*)**

Trendy headphone for iPod & Co

**BLACK (BK), WHITE (WH) and RED (RE)**

- High wear comfort
- 3,5mm jack plug
- Adjustable ear-cushion position



# LOUDSPEAKERS

## Speaker Box 10 (Pair)

649,00



Audiophile floorstand speaker  
**PIANO (PI) , RED (RE) and WHITE (WH)**

- 2,5-way design
- High frequency driver 25mm dia soft dome
- Bass driver 3 x 100mm dia
- Frequency response 30Hz -20kHz
- Impedance 4 Ohm



1BDLS10(\*)

## Speaker Box 5 (Pair)

269,00



2-way speaker  
**PIANO (PI) , RED (RE) and WHITE (WH)**

- Magnetically shielded. Can be placed closed to a TV
- High frequency driver 25mm dia soft dome
- Bass driver 130mm dia
- Frequency response 55Hz -20kHz
- Impedance 8 Ohm



1BDLS5(\*)

## Speaker Box 4 (Pair)

229,00



2-way mini speaker  
**PIANO (PI) , RED (RE) and WHITE (WH)**

- Magnetically shielded. Can be placed closed to a TV

## ACCESSORIES

**3.0-10A-EU** 3m / 10A

119,00

- Impedance 4 Ohm



1BDLS4(\*)

## SB-5 Grilles (Pair)

36,00



Speaker grill for speaker Box 5

1BDGSB5W

**WHITE**

## WB-SB-4/5 (Pair)

39,00



Wallbrackets for Speaker Box 4 and 5

1BDWBS(\*)

**BLACK (B) or WHITE (W)**

## Speaker Stand 70 (Pair)

269,00



Speakerstands for Speaker Box 4 and 5

- Low resonance design
- Overall height 725mm
- Upper platform 140 x150mm (WxD)

1BDLSST(\*)

**PIANO (PI) or WHITE (WH)**

<b>Speaker Box Desktopstand</b>	<b>109,00</b>
---------------------------------	---------------



Bookshelf speaker platform

- Perfect placement for near-field speakers
- Perfectly suits for Speaker Box 4 and 5
- Stereo set includes 2 stands and 8 vibration absorbers

1ASBDESK

Cristal clear acrylic

<b>ACCESSORIES</b>
--------------------

<b>Damp it</b>
----------------



- Special absorber feet made of synthetic material enclosed by metal ring
- Prevent transmission of unwanted mechanical vibration
- Also suits amplifiers and CD players

1ADAMPIT1

Damp it 1

1 piece

**9,00**

1ADAMPIT4

Damp it 4

4 pieces

**33,00**

<b>DiscMist</b>
-----------------



11DMODC02

Optical Disc Cleaner 2oz

**24,00**

11DMODC04

Optical Disc Cleaner 4oz

**30,00**

11DMODC08

Optical Disc Cleaner 8oz

**36,00**

<b>HUM BLOCK IT</b>
---------------------



Physical eath connection cable

1AHUM

**35,00**